

**MONTHLY STATISTICAL RETURN (MSR-C)
(MANUFACTURING OF MAN MADE FIBRES)
PRESCRIBED UNDER COLLECTION OF STATISTICS ACT,2008**

TO BE SUBMITTED BY UNITS UNDERTAKING ACTIVITIES UNDER NATIONAL INDUSTRIAL CLASSIFICATION CODE
2030: Manufacture of man-made fibres

INSTRUCTIONS:

1. ORIGINAL COPY TO BE SUBMITTED TO OFFICE OF THE TEXTILE COMMISSIONER, NISHTHA BHAWAN, NEW CGO BUILDING, 48
NEW MARINE LINES, MUMBAI-400020 **ON OR BEFORE 15TH DAY OF THE FOLLOWING MONTH.**
2. FIGURES SHOULD BE ROUNDED OFF AND NO DECIMAL OR FRACTION NEED TO BE GIVEN

PART-00 UNIT DETAILS

PAN Number	Month/Year for which information is submitted

NAME OF THE UNIT	
ADDRESS	
NAME OF THE CONTACT PERSON	
MOBILE NUMBER	

PART-01: DETAILS ON EMPLOYEES & WORKERS ENGAGED DURING THE MONTH

WORKERS EMPLOYED						MANAGERIAL/SUPERVISORY STAFF/OTHER STAFF	
REGULAR		CONTRACT		DAILY WAGER		Men	Women
Men	Women	Men	Women	Men	Women		

PART-02: CONSUMPTION & STOCKS OF RAW MATERIALS FOR PRODUCTION OF MAN-MADE FIBRES (in KG)

Raw Materials	Consumption		Physical Closing Stock at the end of the month	
	Indian	Imported	Indian	Imported

PART-03: PRODUCTION OF MAN-MADE FIBRE (IN KG.)

Name of the Fibre*		Fibre/ Tow/ Tops	Denier	Staple Length (MM)	Production
Viscose					
Acrylic					
Polyester	Virgin				
	Recycled				
Polypropylene					
Spandex					
Speciality Fibres (Technical Textiles) Please specify _____					
Other fibres Please specify _____	Virgin				
	Recycled				
Total					

*Specify the particulars of each fibre separately and also whether tow/fibre/tops

Most common values of Denier: 0.8,1.2,1.4,1.6 and Staple Length (in mm) : 35,38,40,42. Others please specify.

PART-04: DELIVERY AND STOCK OF MAN-MADE FIBRE (IN KG.)

Name of the Fibre*	Fibre/ Tow/ Tops	Denier	Staple Length (MM)	DELIVERIES			Physical stock at the end of the month
				Domestic	Export	Total	
Viscose							
Acrylic							
Polyester	Virgin						
	Recycled						
Polypropylene							
Spandex							
Speciality Fibres (Technical Textiles) Please specify_____							
others Please specify_____	Virgin						
	Recycled						
Total							

*Specify the particulars of each fibre separately and also whether tow/fibre/tops

Most common values of Denier: 0.8,1.2,1.4,1.6 and Staple Length (in mm) : 35,38,40,42. Others please specify.

PART -05: DETAILS OF ENERGY CONSUMPTION

Type of energy consumed (please tick)			Energy Units consumed (in KWH)	
Renewable	Non-renewable	Both	Grid	Non-Grid

PART-06: DETAILS OF CAPACITY UTILIZATION

Average no of days worked during the month	Number of days not worked due to					Capacity Utilization (%)
	Power Shortage	Absenteeism	Labour Shortage	Maintenance	Others (please specify -----)	

CERTIFICATION

CERTIFIED THAT THE ABOVE PARTICULARS HAVE BEEN CHECKED WITH THE RECORDS OF THE MILL AND THAT THEY ARE, IN SO FAR AS I CAN ASCERTAIN, ACCURATE AND COMPLETE

DATE	PLACE	NAME & SIGNATURE OF THE AUTHORIZED SIGNATORY WITH SEAL